MSI GeForce GT 710 LP 2GB 64-Bit DRR3 PCI Express 2.0 Low Profile

[Read More](#)

SKU:	VID-GT7102GD3LP
Price:	11,690 Vt
Stock:	instock
Categories:	[Tools](#)

Product Description

Mi 16-in-1 Ratchet Screwdriver

[Read More](#)

SKU:	TOO-BHR4779GL
Price:	3,790 Vt
Stock:	instock
Categories:	[Tools](#)

Product Description

Verbatim 66608 Screen Wipes - 100 pcs

[Read More](#)

SKU:	SCR-66608
Price:	990 Vt
Stock:	instock
Categories:	[Computer Accessories](#)

Product Description

SanDisk 256GB CRUZER CZ74 USB FLASH DRIVE

[Read More](#)

SKU:	FLA-SDCZ74-256G-A46
Price:	7,190 Vt
Stock:	instock
Categories:	[Memory / Flash Drive](#)

Product Description

Seagate 500GB Expansion USB 3.0 External SSD

[Read More](#)

SKU: HDD-STJD500400

Price: 14,990 Vt

Stock: instock

Categories: [Hard Drive / SSD](#)

Product Description

TP-LINK UE300C USB TYPE-C TO RJ45 GIGABIT ETHERNET ADAPTER

[Read More](#)

SKU: NET-TL-UE300C

Price: 3,590 Vt

Stock: instock

Categories: [UPS / PSU](#)

Product Description

Berrcom Infrared Thermometer JXB-178 FDA Approved

[Read More](#)

SKU: GDT-JXB-178

Price: 5,990 Vt

Stock: instock

Categories: [Smart Home](#)

Product Description

- Advanced infrared detection system results in reliable and stable measurements
- Guaranteed for 100,000 measurements
- Selectable °Celsius or °Fahrenheit
- Forehead heat detection
- Selectable Body, Surface or Room modes
- Can be calibrated against a clinical thermometer
- High fever alarm if temperature is more than 38ºC (100.4ºF)
- Memory holds 32 points of temperature data
- Automatic data hold
- Automatic power off
- Automatic selection range
- Display resolution 0.1ºC (0.1ºF)
- Green backlight indicates normal temperature Orange backlight indicates low fever Red backlight indicates high fever
- FDA 510(k) Cleared, CE, FCC, RoHS certified

3M SERIAL M/M Cable

[Read More](#)

SKU:	CBL-SERIAL-M/M-3M
Price:	1,490 Vt
Stock:	instock

Categories: [Cables and Cable accessories](#)

Product Description

AC 3.5mm to DC USB PS Cable for Nokia LG old phone

[Read More](#)

SKU:	CBL-3.5-TO-USB
Price:	990 Vt
Stock:	instock

Categories: [Cables and Cable accessories](#), [USB](#)

Product Description

CALIBOR RIBBON WAX/RESIN 110x70 CSO

[Read More](#)

SKU: PRT-RIB-W/R-CALIBOR

Price: 1,690 Vt

Stock: instock

Categories: [Printer Related](#)

Product Description

ATEN PE0212G 12 PORT 15A 1U BASIC

[Read More](#)

SKU: NET-PE0212G

Price: 17,990 Vt

Stock: instock

Categories: [Rack / PDU](#)

Product Description

COMPREHENSIVE-C STR MINI/M to STR MINI/M CABL- 3m

[Read More](#)

SKU: CBL-MPSMPS10ST

Price: 990 Vt

Stock: instock

Categories: [Cables and Cable accessories](#)

Product Description

This **Comprehensive MPS-MPS-10ST Stereo Mini Male to Stereo Mini Male Cable** is a general purpose audio cable with stereo mini (3.5mm) male plugs at each end.

BELKIN STANDARD MOUSE PAD - RED

[Read More](#)

SKU: MOU-F8E081RED

Price: 990 Vt

Stock: instock

Categories: [Keyboard and Mouse](#)

Product Description

- Jersey Surface
- Nonslip Neoprene Backing

IOGEAR USB-C TRAVEL DOCK w/POWER DELIVERY 3.0

[Read More](#)

SKU: NBB-GUD3C06

Price: 17,990 Vt

Stock: instock

Categories: [USB](#)

Product Description

- Integrated USB 3.1 Gen 1 Type-C Cable
- 1 x USB 3.1 Gen 1 Type-C Port
- 3 x USB 3.1 Gen 1 Type-A Ports
- 1 x HDMI Port (4K x 2K @ 30 Hz)
- 1 x Gigabit Ethernet Port
- UHS-I SD & microSD Card Readers
- Supports Battery Charging 1.2 at 1.5A
- Supports Power Delivery 3.0 (up to 100W)
- Supports Fast Role Swap
- Windows & Mac Compatible

BELKIN Y ADAPTR MINI STEREO/M to 2-MINI STR/F

Read More

|	
SKU:	CBL-F8V234
Price:	1,190 Vt
Stock:	instock
Categories:	Audio Accessories, Cables and Cable accessories

Product Description

- Splits to 2x Stereo Signals
- Use with Portable Player Devices
- Ideal for Laptops, iPods, CD Players
- Stereo Mini to Dual Stereo Mini

8TB Ultrastar 7200 rpm SATA 3.5" Internal Data Center HDD

Read More

SKU:	HDD-WDBBUR0080BN
Price:	45,990 Vt
Stock:	instock
Categories:	Hard Drive / SSD

Product Description

- 8TB Storage Capacity
- 3.5" Form Factor

- SATA III 6 Gb/s Interface
- 256 MB Cache
- 7200 rpm
- Up to 225 MB/s Data Transfer Rate
- 600,000 Load/Unload Cycles
- **2 Million Hours MTBF**
- Dynamic Fly-Height & Dual-Stage Actuator
- Designed for Data Centers
- 1 year SPIM warranty RTB

92mm PV902512PSPF 12V 0.4A 432768-0019 4-wire FAN

Read More

SKU: FAN-4W- PV902512PSPF

Price: 3,990 Vt

Stock: instock

Categories: Computer Components

Product Description

- Brand Name: SXDOOL
- Origin: CN(Origin)
- Application: Computer Case
- Package: Yes
- Bearing: Fluid Bearing
- Fan Life: 40000 hrs
- Lines: 4 Lines
- Type: Fan
- Power Interface: 4pin
- Heatsink Material: Plastic

Crucial Memory CT4G4DFS8266 4GB DDR4 2666 Unbuffered UDIMM

Read More

SKU: MEM-CT4G4DFS8266

Price: 3,990 Vt

Stock: instock

Categories: Memory / Flash Drive

Product Description

- 4GB Capacity
- 2666 MHz Clock Speed
- PC4-21300
- 288-Pin UDIMM
- CL19 Latency
- Single Rank
- x8-Based Chips

Logitech M280 Wireless Mouse Blue

ALL-DAY COMFORT MOUSE

Read More

SKU: MOU-910-004361

Price: 3,490 Vt

Stock: instock

Categories: Keyboard and Mouse

Product Description

M280 lets you cruise through your busy day with a whole new degree of comfort.The curved grip made of soft rubber naturally fits your hand as you track and scroll with excellent accuracy. The long-lasting battery, broad compatibility, and the strong wireless connection ensure high reliability and ease of use.

- **Mouse**

  - Height: 105.4 mm
  - Width: 67.9 mm
  - Depth: 38.4 mm
  - Weight (with batteries): 91.0 g

  USB Receiver

  - Height: 14.4 mm
  - Width: 18.7 mm
  - Depth: 6.1 mm
  - Weight: 1.8 g

- **USB Receiver**

  - Required: available USB port
  - Windows 7, 8, 10 or later
  - macOS 10.5 or later
  - Chrome OS
  - Certified Works With Chromebook .This product has been certified by Logitech to meet Google's compatibility standards. Google is not responsible for the operation of this product or its compliance with safety requirements. Chromebook and the "Works With Chromebook" badge are trademarks of Google LLC.
  - Linux® Kernel 2.6+

- **Sensor technology**

  - High-precision Optical Tracking
  - DPI (Min/Max): 1000±

Buttons

- Number of buttons: 3 (Left/Right-click, Middle click)

Scrolling

- Line-by-line scrolling
- Scroll Wheel: Yes, Rubber, 2D , mechanical

Battery

- Battery: 18 months [6]Battery life may vary based on user and computing
- Battery Details: 1 x AA (included)

Connectivity

- Connection Type: 2.4 GHz wireless connection
- Wireless range: 10 m [7]Wireless range may vary based on user, environmental and computing conditions.

Optional software

- Logitech Options
- Wireless Mouse M280
  - Nano Receiver
  - 1 AA battery (pre-installed)
  - User documentation

Logitech M190 Wireless Mouse RED

[Read More](#)

SKU:	MOU-910-005904
Price:	2,990 Vt
Stock:	instock
Categories:	[Keyboard and Mouse](#)

Product Description

- All-day comfort thanks to the arched palm support and special button scooping for ideal finger placement
- You'll work wirelessly and move freely from up to 10 meters
- Up to 18-month battery life

HikVision 4MP IR Fixed Bullet IP Camera DS-2CD1043G0-I F2.8, PoE

[Read More](#)

SKU:	VID-DS-2CD1043G0-I
Price:	20,990 Vt
Stock:	instock
Categories:	[Webcam / Conference / Surveillance](#)

Product Description

4MP Fixed Bullet Network Camera

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging even with strong back lighting due to 120 dB WDR

- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Built-in microphone for real-time audio security

KENSINGTON SMARTFIT ADJUSTABLE FOOTREST

[Read More](#)

SKU:	GDT-52482
Price:	5,790 Vt
Stock:	instock
Categories:	[Smart Home](#)

Product Description

- Foot rest with luxurious memory foam soothes tired legs and feet
- Convenient foot pedal control lets you adjust the foot rest without leaving your chair
- Height adjusts from 3.5 to 5 Inches, angle adjusts up to 30 degrees for individual comfort
- Set up the product quickly and easily by using the SmartFit System and your own personal comfort color
- Non-skid foot surface provides added control

KENSINGTON SD4700P USB-C+USB3.0, DUAL 2K, 60W CHARGING, DP/HDMI, WIN/M

[Read More](#)

SKU:	ADA-38240
Price:	32,990 Vt
Stock:	instock
Categories:	[USB](#)

Product Description

About this item

- Usb-C or USB-A Dual Display dock for Windows PC's, Surface Pro 7, 6, 5, 4, Surface Go 1&2, Surface Laptop 1/2/3, Surface Book 1/2/3, and MacBooks (OS 10.14 and later), Watch the video for setup and usage.
- 135W Power supply adapter provides ample power for the dock and up to 60W of power for laptops connected via the power delivery (PD) USB-C port. 1 meter USB-C cable with power delivery capabilities included (use this cable). Can also power a USB-A laptop using the optional power splitter and tips (Kensington part #K38310NA).
- Supports video connections for USB-C, Thunderbolt 3 (at USB-C speeds), and USB-A computers via Display Link technology.
- 6 USB ports extends the productivity capabilities of today's thin laptops via one USB-C (15W charging and data) port and five SuperSpeed USB 3. 0 Ports, one of which is a 2. 1a fast-charging port to power up a tablet or smartphone.
- Gigabit Ethernet port; combination headphone/microphone jack; Kensington Security Slot protects your technology investment via easy implementation of a cable lock (lock sold separately, part # K64675US). Zero Footprint Mounting provides the option to attach the dock to the back of any VESA-compatible monitor (VESA mounting plate sold separately, part# K33959WW).
- TAA Compliant; Compatible with Windows 10, 8. 1, 8, and 7, and Mac OS 10. 14 or later (must download Display Link driver)

rand	Kensington
Color	Black
Hardware Interface	USB
Compatible Devices	MacBook Air, MacBook Pro, Microsoft Surface Pro 7, Microsoft Surface Go 2, Microsoft Surface Book, Microsoft Surface Pro 4, Microsoft Surface GoMacBook Air, MacBook Pro, Microsoft Surface Pro 7, Microsoft Surface Go 2, Microsoft Surface Book, Microsoft Surface Pro 4, Microsoft Surface Go See more
Total USB Ports	6

Item Dimensions LxWxH	8.4 x 4.1 x 4.3 inches
Number of Ports	10
Item Weight	0.27 Kilograms
Total HDMI Ports	1

Product information

Style: **Dual Display 60W PD**

Technical Details

Brand	Kensington
Series	K38240NA
Item model number	K38240NA
Item Weight	9.6 ounces
Product Dimensions	8.4 x 4.1 x 4.3 inches
Item Dimensions LxWxH	8.4 x 4.1 x 4.3 inches
Color	Black
Manufacturer	Kensington
ASIN	B079RS5YTK
Is Discontinued By Manufacturer	No
Date First Available	February 1, 2018

Mainboard 786172-001 for HP 400 G2/ G1, 3MTH WTY

[Read More](#)

SKU: MBB-786172-001

Price: 15,990 Vt

Stock: instock

Categories: [Computer Components](#)

Product Description

NITECORE P Precise Series Flashlight NEW P30

[Read More](#)

SKU: GDT-NC-NEWP30

Price: 18,490 Vt

Stock: instock

Categories: [Tools](#)

Product Description

- Utilizes a CREE XP-L HI V3 LED with a max output of 1,000 lumens
- Maximum peak beam intensity of 95,500cd and maximum throw of 618 meters
- An optical system combined with crystal coating and "Precision Digital Optics Technology" (PDOT)
- Powered by a 21700 high capacity Li-ion battery while compatible with 18650 and CR123 batteries, to provide a runtime up to 950 hours

- The tactical tail switch and the side switch control 5 brightness levels and 3 special modes
- NITECORE 21700 USB-C rechargeable Li-ion battery (NL2150R 5,000mAh) included
- A power indicator beneath the side switch indicates the remaining battery power (Patent No. ZL201220057767.4)
- The power indicator can display the battery voltage (±0.1V)
- High efficiency constant circuit provides a stable output
- Incorporated Advanced Temperature Regulation (ATR) module (Patent No. ZL201510534543.6)
- Electronic reverse polarity protection
- Optical lenses with double-sided scratch resistant coating
- Constructed from aero grade aluminum alloy
- HA III military grade hard-anodized finish
- Waterproof in accordance with IP68 (2 meters submersible)
- Impact resistant to 1 meter

Specification:
Max Output: 1000 Lumens Max Beam Distance: 618 m Max Beam Intensity: 95500 cd Max Runtime: 950 h 0 m / 39.58 d LED: CREE XP-L HI V3 Battery: 1 × 18650, 2 × CR123, 2 × RCR123, 1 × 21700 (rechargeable Li-ion battery (NL2150R 5,000mAh) included) Special Modes: Location Beacon, SOS, Strobe Beam color: White light Length: 155.5 mm / 6.12 in Head Size: 50 mm / 1.96 in Weight: 158.5 g / 5.59 oz Activity: Gear, Hunting, Law Enforcement, Search